


PRODUCT DESCRIPTION

Moland engineered wood flooring

Date: April 7th, 2022

Item number:	10402264
Product name:	SUPER EG Avon White, Oak, UV white lacquer, matt

Picture



Picture no. 1

Picture no. 2

Product description

Appearance	-
Classification ac. To EN 13489	Free Classic
Pattern of surface	1-strip
Finishing	Deep brushed
Bevel	0.5 mm short sides, 1.5 mm long sides
Lacquer	German manufacturer, gloss 2-4°
Hardness	Hard wood
Floor heating installation	Yes, max. 27°

Dimensions

Length	2050 mm	<input checked="" type="checkbox"/> Cleaning and maintenance instructions – www.moland.dk <input type="checkbox"/> Can be used for eco-label construction. <input type="checkbox"/> FDV-documentation – www.moland.dk <input type="checkbox"/> FSC <input checked="" type="checkbox"/> PEFC
Width	233 mm	
Thickness	10 mm	
Top layer	0.6 mm	
Split boards	-	

PRODUCT DESCRIPTION

Moland engineered wood flooring



Date: April 7th, 2022

Technical specification

Dimension	10 x 233 x 2050 mm	Delamination	Not allowed
Top layer	0.4 - 0.6 mm	Torn grain	Not allowed
HDF	8.8mm +/- 0.1mm	Colour on bevel and surface	Homogenes expression
Bottom layer	0.4 - 0.6 mm	Pressure marks	Not allowed
Locking method end	Unifit-X	Product marking	CE, PEFC
Locking method long side	Uniclic	Boards per packet/ m ²	5 boards = 2.39 m ²
Fire class	C _{fl} - s1	Packet per pallet/ m ²	44 packets = 105.083 m ²
Formaldehyde content	E1	Origin of top layer	EU
Thermal conductivity	0.11 W/mk		

Production tolerance

Moisture content	6% + -2%
Height difference	± 0.2 mm, 0.3mm to a limited extent
Width	± 0.2 mm
Length	± 0.1 %
Squareness	≤ 0.2 % over the width
Crosswise bending	± 0.2 % over the width
Longitudinal bending	± 1% of the length
Spring across the element	≤ 0.1% over the length

Grading



Fresh knots	Allowed
Cracked filled knots	Allowed
Dead knots	Allowed
Dark lines	Allowed
Cracks	No open cracks allowed
Bark pockets	Not allowed
Sapwood	Not allowed
Structure variation	Crown cut – full to half crown
Color variation	Natural wood variation is accepted – color variation between batches is possible
Worm hole	Not allowed
Blue stained	Not allowed
Rot	Not allowed

Packing

PRODUCT DESCRIPTION

Moland engineered wood flooring

Date: April 7th, 2022



Pallets Fumigated

Number of boards per pack	5 Boards
M ² / pack	2.39 m ²
Packs / pallet	44 Packs
Layer / pallet	11 layers
M ² / pallet	105.083 m ²