

# CERTIFIKAT

CERTIFICATE



**GODKENDT  
TIL DRILLEKVVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevarer med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

**GODKENDELSE NR. / APPROVAL NO.:**

**01/00022**

**UDSTEDT / DATE OF ISSUE:**

**10-12-2021**

**UDLØBER / EXPIRY DATE:**

**14-06-2024**

**GODKENDELSESINDEHAVER / APPROVAL HOLDER:**

**Yuhuan Jianglin Plumbing Hose & Parts Inc.  
2 Jindifu Road, Yuhuan Economic Development Zone,  
Yuhuan  
31 7600 Zhejiang  
CN, China**

**BYGGEVARE / BUILDING COMPONENT:**

**Kombiflex JL Connection hoses**



## BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 10-12-2021 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver.

Markedsføring og salg af byggevarer efter nærværende godkendelse omfatter de versioner af byggevarer, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

## CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 10-12-2021 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder.

Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

**CERTIFIKATET ER UDSTEDT AF:**

THE CERTIFICATE IS ISSUED BY:

**Bolig og Planstyrelsen**

Danish Housing and Planning Authority

Carsten Niebuhrs Gade 43

1577 København V

Mail: [GDV@tbst.dk](mailto:GDV@tbst.dk)

Web: [www.tbst.dk](http://www.tbst.dk)

København, den 10-12-2021

# BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

01/00022

## VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

### OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

**BYGGEVAREN:**

BUILDING COMPONENT:

Kombiflex JL Connection hoses

### VERSIONER

VERSIONS

**VARETEKST:**

ITEM TEXT:

**VARE- / SERIENUMMER:**

ITEM / SERIAL NUMBER:

**SLANGER:**

HOSE:

JL PEX Inliner

DN6 min. 100 mm - max 2000 mm

DN8 min. 100 mm - max 2000 mm

**FITTINGS:**

FITTINGS:

Straight inserter for female nut

DN6, DN8

Brass or nickel plated

3/8" 12-65mm

1/2" 12-65mm

3/4" 12-65mm

Straight inserter with male thread

DN6, DN8

Brass or nickel plated

3/8" 12-65mm

1/2" 12-65mm

3/4" 12-65mm (test version)

Straight inserter with tube

DN6, DN8

Brass or nickel plated

Ø8 12-65mm

Ø10 12-65mm

Ø12 12-65mm

Straight inserter with compression fitting DN6, DN8 Brass or nickel plated	Ø8 12-65mm
	Ø10 12-65mm
	Ø12 12-65mm
	Ø15 12-65mm
Straight inserter with male thread M8, M10 or M12 Brass or nickel plated	M8 12-110mm
	M10 12-110mm
	M12 12-110mm
Elbow inserter for female nut DN6, DN8 Brass or nickel plated	3/8" 12-110mm
	1/2" 12-110mm
	3/4" 12-110mm (test version)

#### PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER - SLANGER

PRODUCT RANGE FOR "ON-DEMAND" VARIANTS INCLUDED - HOSE

<b>DN</b> DN	<b>MINDSTE:</b> SMALLEST:	DN6
	<b>STØRSTE:</b> LARGEST:	DN8
<b>LÆNGDE</b> LENGTH	<b>MINDSTE:</b> SMALLEST:	100 mm
	<b>STØRSTE:</b> LARGEST:	2000 mm

#### PRODUKTSPEKTER FOR OMFATTEDE VARIANTPRODUKTER - FITTINGS

PRODUCT RANGE FOR "ON-DEMAND" VARIANTS INCLUDED - FITTINGS

<b>DN</b> DN	<b>MINDSTE:</b> SMALLEST:	DN 6
	<b>STØRSTE:</b> LARGEST:	DN 8
<b>LÆNGDE</b> LENGTH	<b>MINDSTE:</b> SMALLEST:	12 mm
	<b>STØRSTE:</b> LARGEST:	110 mm