



Dachkeramik Meyer-Holsen

MEYER-HOLSEN GmbH · 32609 Hüllhorst

☎ 0 57 44/9 40-0

☎ 0 57 44/9 40-100

Declaration of performance
in accordance to regulation (EU) Nr. 305/2011
Nr.: **MH-00001-1**

www.meyer-holsen.de

info@meyer-holsen.de

- 1.) Unique identification code: **roofing tiles and fittings**
- 2.) Type of product as required pursuant to Article 11 (4): **Vario® Hohlfalzziegel, Vario Junior Zwilling®, Tandem®, Piano, Dacapo, Doppelfalzziegel, Ravensberger, Ravensberger eco, Hohlziegel, Biber 175x260, Biber 175x380, Biber 155x380, Biber 155x260, Keramikplatte, Giebelortgangplatte**
- 3.) Intended use of product: **for roof covering of disposed roofs and cladding for external walls**
- 4.) Name of producer: **Dachkeramik Meyer-Holsen GmbH
Tonstraße 78, 32609 Hüllhorst, Germany**
- 5.) not declared
- 6.) System and verification of performance: **4**
- 7.) not declared
- 8.) not declared
- 9.) Declared performance

Essential characteristics	Performance	Harmonised techn. specification
Mechanical resistance	Passed	EN 1304:2005
External fire performance	B _{ROOF} without testing	EN 1304:2005
Reaction to fire	Category A1	EN 1304:2005
Water impermeability	Category 1 Method 2	EN 1304:2005
Dimensional variation	Passed	EN 1304:2005
Durability	Test method E Level 3 (150 cycles)	EN 1304:2005
Release of dangerous substances	Not declared	

10.) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

Signed for and on behalf of the manufacturer by:

Hüllhorst, 27.06.2013

Rüdiger Bethke, Director



Dachkeramik Meyer-Holsen

MEYER-HOLSEN GmbH · 32609 Hüllhorst


☎ 0 57 44/9 40-0

☎ 0 57 44/9 40-100

www.meyer-holsen.de

info@meyer-holsen.de

CE - Identification

	durability	Test method E Level 3 (150 cycles)
	water impermeability	Category 1 Method 2
EN 1304	external fire performance	B _{ROOF}
13	reaction to fire:	Class A1
roofing tiles and fittings	mechanical resistance	Passed
MH-00001-1	dimensional variation	Passed
for roof covering of disposed roofs and cladding for external walls	Dachkeramik Meyer-Holsen GmbH Tonstraße 78 D – 32609 Hüllhorst	