POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool	Revision date N/A

1 SECTION1: Product and Company Identification

Product identifier

- Product name: WX696 Cordless Oscillating tool
- Relevant identified uses of the substance or mixture and uses advise against
- Identified uses: Please consult manufacture

Details of the supplier of the safety data sheet

Supplier: Positec Technology (China) Co., Ltd. Address:No.18 Dongwang Road, Suzhou Industrial Park

Postcode:215123

E-mail: email@positecgroup.com

Tel:+86-512-65152888

Fax:+86-512-65152885

Emergency telephone number +86-512-65152888

2 SECTION 2: Hazards identification

GHS Classification Not classified	
Label elements	
Symbols/Pictograms	None
Signal word	None
Hazard Statements	None
Precautionary Statements	
Prevention	None
Response	None
Storage	None
Disposal	None
Hazards not otherwise classified	
No information available	

POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool	Revision date N/A

Unknown acute toxicity

No information available

3 SECTION 3:Composition/information on ingredients

Battery Pack WA3551.1 dangerous components.

Chemical Name	CAS Number	Material Composition
PA6+GF30	25038-54-4	30.26%
PVC	9002-86-2	0.82%
epoxy resin	61788-97-1	0.41%
Iron	7439-89-6	17.75%
Carbon	7440-44-0	9.64%
Copper	7440-50-8	9.64%
Lithium nickelate	12031-65-1	4.60%
Aluminium	7429-90-5	4.07%
Lithium manganese oxide	12057-17-9	2.76%
dimethyl carbonate	616-38-6	2.68%
Manganese	7439-96-5	2.40%
cobalt lithium dioxide	12190-79-3	1.84%
Polyethylene	9002-88-4	1.71%
Nickel	7440-02-0	2.87%
Oxygen	7782-44-7	1.40%
1,3-Dioxolan-2-one	96-49-1	1.10%
lithium hexafluorophosphate(1-)	21324-40-3	1.05%
Ethyl methyl carbonate	623-53-0	0.84%
Polypropyllene	9003-07-04	0.65%
1-Propene homopolymer	9003-07-0	0.55%

POSITEC

	Report No. 20190802014		
Version number 0			Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool Revision		Revision date N/A	
Polyethylene terephthalate	25038-59-9	0.46%	
Carbon black	1333-86-4	0.35%	
Polyvinylidene fluoride	24937-79-9	0.35%	
lithium carbonate	554-13-2	0.29%	
2-Propenoic acid polymer with butyl 2-propenoate,	35239-19-1	0.25%	

lithium carbonate	554-13-2	0.29%
2-Propenoic acid polymer with butyl 2-propenoate, ethenyl acetate and 2-ethylhexyl 2-propenoate	35239-19-1	0.25%
4-Fluoro-1,3-dioxolan-2-one	114435-02-8	0.17%
Carboxyl Methyl Cellulose	9004-32-4	0.10%
Butanedinitrile	110-61-2	0.08%
Octadecylcarbamic acid ethenyl ester homopolymer	36671-85-9	0.06%
Styrene, butadiene copolymer	9003-55-8	0.06%
titanium dioxide	13463-67-7	0.06%
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	0.05%
2-Methyl-2-propenoic acid methyl ester polymer with 1,3-butadiene, ethenylbenzene and 2-propenenitrile	9010-94-0	0.05%
2-Methyl-2-propenoic acid polymer with 1,3-butadiene and ethenylbenzene	9010-93-9	0.05%
Fatty acids, coco polymers with benzoic acid, pentaerythritol and phthalic anhydride	68604-67-1	0.04%
poly(1,4-butylene terephthalate)	24968-12-5	0.03%
lithium tetrafluoroborate, anhydrous	14283-07-9	0.01%
2-Propenenitrile polymer with 1,3-butadiene and ethenylbenzene	9003-56-9	0.01%
1,3-Bis(2,4,6-trioxoperhydropyrimidin-5-ylidene)isoindol ine	36888-99-0	0.01%
Magnesium	7439-95-4	0.00%

4 SECTION 4: First aid measures

POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool	Revision date N/A

For the material leaked from battery interior

Eye contact: if contact, rinse with clean water for at least 15mins, turns upper and lower eyelid until the chemical residue gone, then go to see doctor immediately.

Skin contact: if contact, rinse with suds. Meanwhile take off the polluted clothes and shoes. If chemical burns or continual stimulates, please go to see a doctor immediately.

Eat: go to see a doctor immediately

Inhalation: remove him to the area that with the clean air immediately, provide him artificial respiration if can not breathe, don't use mouth-to-mouth breath method. If has difficulty to breathe, given oxygen to overcome breathing problem. Go to see a doctor immediately.

5 SECTION 5: Fire fighting measures

•Extinguishing media •Suitable extinguishing agents: CO₂, dry chemical powder, water spray. •Unsuitable extinguishing agents: No information available.

•Special hazards arising from the substance or mixture Not flammable.

·Advice for firefighters Fire-fighters should wear appropriate breathing apparatus and protective equipment

6 SECTION 6: Accidental release measures

Personal precautions

Use personal protective clothing. Avoid contact with skin, eyes and clothing. Avoid breathing fume and gas.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up mechanically and send for disposal.

POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool	Revision date N/A

7 SECTION 7: Handling and storage

Handling

Advice on safe handling

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Storage

Requirements for storage rooms and vessels

Storage at room temperature (approx. 20°C) at approx. 20 60% of the nominal capacity Keep in closed original container..

8 SECTION 8: Exposure controls/personal protection

Engineering Control: Select the appropriate ventilation and temperature control equipment, which should be equipped with eye cleaning and shower equipment. Use local equipment to ensure its concentration under the limitation.

Eye protection: Not necessary under normal use. Wear safety goggles or glasses with side shields if handling a leaking or ruptured battery.

Hand protection: Not necessary under normal use. Wear rubber gloves if handling a leaking or ruptured battery.

Skin protection: Not necessary under normal use. Wear protection suit in case of handling a leaking or ruptured battery

Respiratory protection: Not necessary under normal use. Keep the air circulation in case of handling a leaking or ruptured battery. Do not use it in a narrow place in

this case.

POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool Revision	

9 SECTION 9: Physical and chemical properties

Battery pack model:WA3551.1 Physical state: Solid Color: black Smell: N/A Voltage: 20V Max(18V d.c.) Weight: 380g Capactity: 2.0Ah Watt-hours of Battery: 36Wh Solubility in water: Does not dissolve in water

10 SECTION 10: Stability and reactivity

Stability: It should be stable under the condition of normal storage and operation.
Conditions to avoid: Overheat; Exposure to humid conditions; Mechanical vibration
Taboo materials: strong oxidant
Hazardous decomposition products: Under the condition of burning may produce harmful decomposition products
Hazardous polymerization reaction: NA

11 SECTION 11: Toxicological information

- · Acute toxicity: No data available.
- · Skin corrosion/irritation: No irritant effect.
- · Serious eye damage/irritation: No irritating effect.
- · Respiratory or skin sensitization: No sensitizing effects known.

POSITEC

Report No. 20190802014	
Version number 0	Issue Date 08-Jan- 2020
Product name: WX696 Cordless Oscillating tool	Revision date N/A

· Specific target organ system toxicity: No information available.

• Toxicokinetics, metabolism and distribution: No information available.

· Aspiration hazard: No information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): No information available.

12 SECTION 12: Ecological information

There are no ecological injuries under normal usage. Do not flush into water or sanitary sewer system

13 SECTION 13: Disposal considerations

Advice on disposal For recycling consult manufacturer.

Disposal in accordance with local regulations

14 SECTION 14: Transport information

The lithium-ion battery packs are pack with an equipment are made in compliance to the requirements stated in the latest edition of the IATA Dangerous Goods Regulations Packing Instruction 966 section II (61th Edition, 2019), Section such that they can be transported as a NOT RESTRICTED (non-hazardous/non-dangerous) goods.

With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions, Packing Instruction 966, Section II (60th Edition, 2018)
- The International Air Transport Association (IATA) Dangerous Goods Regulations, Packing Instruction 966, Section II (61th Edition, 2019)
- The International Maritime Dangerous Goods (IMDG) Code(39th-18)
- US Harzardous Materials Regulations 49 CFR(Code of Federal Regulations) Sections 173-185 Lithium batterie and cells,
- The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries, , Rev.6, Amend.1

 DOT
 Proper Shipping Name
 Lithium ion batteries contained in equipment

 Hazard Class
 9

POSITEC

	Report	No. 20190802014		
Version number 0		lssu	ie Date 08-Jan-	2020
Product name: WX696 Cordless	S Oscillating tool		Revision date	N/A
Emergency Response Guide UN number	147 3481			
TDG	Not regulated			
MEX	Not regulated			
ICAO (air) Proper Shipping Name Hazard Class UN number	The goods meet the requirement in General Packing Instruction 966 Lithium ion batteries contained in equipment 9 3481	I Requirements and section II of		
IATA Proper Shipping Name Hazard Class UN number	The goods meet the requirement in General Packing Instruction 966 Lithium ion batteries contained in equipment 9 3481	Il Requirements and section $ \mathrm{II} \mathrm{of} $		
IMDG Proper Shipping Name Hazard Class EmS-No. UN number	The article is not restricted to IMO IMDG C Lithium ion batteries contained in equipment 9 F-A, S-I 3481	ode according to Special Provision 188		
RID	Not regulated			
<u>ADR</u> Proper Shipping Name Hazard Class UN number EmS-No	The article is not restricted to ADR according to Lithium ion batteries contained in equipment 9 3481 F-A, S-I	Special Provision 188		
ADN_	Not regulated			

Our products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance

POSITEC

Report No. 20190802014		
Version number 0	Issue Date 08-Jan- 2020	
Product name: WX696 Cordless Oscillating tool	Revision date N/A	

with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Testes and Criteria that can be treated as "Non-Dangerous Goods".

Test results of the UN Recommendation on the	Test Results	Remark
Transport of Dangerous Goods Manual of Test		
and Criteria (38.3 Lithium battery)		
No .	Test item	
T1	Altitude Simulation	Pass
Т2	Thermal Test	Pass
ТЗ	Vibration	Pass
Τ4	Shock	Pass
Т5	External Short Circuit	Pass
Т6	Impact	Pass
Т7	Overcharge	Pass
Т8	Forced Discharge	Pass

15 SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance USA or EU Regulation:

Authorizations : No information available.

Restrictions on use: No information available.

16 SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

POSITEC

Report No. 20190802014		
Version number 0	Issue Date 08-Jan- 2020	
Product name: WX696 Cordless Oscillating tool	Revision date N/A	

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Author	Reviewer	Approval
Ying Wang	Jennifer Chen	Allen Ding
08-Jan- 2020	08-Jan- 2020	09-Jan- 2020

----End of Safety Data Sheet----