

CERTIFIKAT

CERTIFICATE



**GODKENDT
TIL DRİKKEVAND**

Dette certifikat er udstedt i henhold til bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Certifikatet giver godkendelsesindehaveren rettighed til at markedsføre og sælge nedenstående byggevarer i Danmark og til at mærke byggevareren med "Godkendt til drikkevand"-mærkningen.

This certificate is issued according to Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components that come into contact with drinking water. The certificate gives the approval holder the rights to market and sell the following building component in Denmark and to mark the building component with the "Godkendt til drikkevand" marking.

GODKENDELSE NR. / APPROVAL NO.:

03/00080

UDSTEDT / DATE OF ISSUE:

19-12-2021

UDLØBER / EXPIRY DATE:

18-12-2026

GODKENDELSESINDEHAVER / APPROVAL HOLDER:

**VAT no. 9133022661026963XX
SCE Technology (Ningbo) Co., Ltd.
32, Yuanqu Road, Cha Lu Industrial Zone
315606 Ninghai, Ningbo
Zhejiang Province
CN China**

BYGGEVARE / BUILDING COMPONENT:

**Eagle Gevindfittings messing og krom messing
serie 2000**



BETINGELSER FOR GODKENDELSE:

De nærmere betingelser og vilkår for godkendelsen er fastsat i bekendtgørelse nr. 1007 af 29. juni 2016 om markedsføring og salg af byggevarer i kontakt med drikkevand. Endvidere henvises til godkendelsesbrev af 08-11-2021 om godkendelse af ovennævnte byggevarer i kontakt med drikkevand og eventuelle senere ændringer til godkendelsesbrevet fremsendt til godkendelsesindehaver. Markedsføring og salg af byggevareren efter nærværende godkendelse omfatter de versioner af byggevareren, der er opført i bilaget, og den variantproduktion, der er angivet i bilaget.

CONDITIONS OF APPROVAL:

The detailed terms and conditions of approval are laid down in Executive Order no. 1007 of 29 June 2016 on the placement on the market and sale of building components in contact with drinking water. See also the approval letter of 08-11-2021 on the approval of the above-mentioned building component in contact with drinking water, and any subsequent amendments to the approval letter submitted to the approval holder. Marketing and sale of the building component under this approval include the versions of the building component listed in the Annex and the "on-demand" production specified in the Annex.

CERTIFIKATET ER UDSTEDT AF:

THE CERTIFICATE IS ISSUED BY:

København, den 08-11-2021

Bolig og Planstyrelsen

Danish Housing and Planning Authority

Carsten Niebuhrs Gade 43

1577 København V

Mail: GDV@tbst.dk

Web: www.tbst.dk

BILAG / ANNEX

GODKENDELSE NR. / APPROVAL NO.:

03/00080

VERSIONER AF BYGGEVAREN OMFATTET AF GODKENDELSEN: VERSIONS OF THE BUILDING COMPONENT COVERED BY THE APPROVAL:

OVERORDNEDE INFORMATIONER OM BYGGEVAREN

GENERAL INFORMATION ABOUT THE BUILDING COMPONENT

BYGGEVAREN:

BUILDING COMPONENT:

Eagle Gevindfittings messing og krom messing serie 2000

VERSIONER

VERSIONS

VARETEKST: ITEM TEXT:	DIMENSION: DIMENSION:	VARE- / SERIENUMMER: ITEM / SERIAL NUMBER:
90° Elbow F/F	DN: 10-15-20-25-32-40-50	2090
90° Elbow F/F Reduced	DN: 10-15-20-25-32-40-50	2090 Reduced
90° Elbow F/M	DN: 10-15-20-25-32-40-50	2092
90° Elbow M/M	DN: 10-15-20-25-32-40-50	2094
45° Elbow F/F	DN: 10-15-20-25-32-40-50	2120
Tee F/F/F	DN: 10-15-20-25-32-40-50	2130
Tee F/F/F Reduced	DN: 10-15-20-25-32-40-50	2130 Reduced
Tee M/M/M	DN: 10-15-20-25-32-40-50	2135
Socket F/F Reduced	DN: 10-15-20-25-32-40-50	2240
Bush F/M Reduced	DN: 10-15-20-25-32-40-50	2241
Nipple M/M reduced	DN: 10-15-20-25-32-40-50	2245
Extention F/M Reduced	DN: 10-15-20-25-32-40-50	2246H
Socket F/F	DN: 10-15-20-25-32-40-50	2270

Nipple M/M	DN: 10-15-20-25-32-40-50	2280M
Plug M/	DN: 10-15-20-25-32-40-50	2290
Cap F/	DN: 10-15-20-25-32-40-50	2300
Extension F/M 10	DN: 10-15-20-25-32-40-50	2500
Extension F/M 15	DN: 10-15-20-25-32-40-50	2500
Extension F/M 20	DN: 10-15-20-25-32-40-50	2500
Extension F/M 25	DN: 10-15-20-25-32-40-50	2500
Extension F/M 30	DN: 10-15-20-25-32-40-50	2500
Extension F/M 40	DN: 10-15-20-25-32-40-50	2500
Extension F/M 50	DN: 10-15-20-25-32-40-50	2500
Extension F/M 100	DN: 10-15-20-25-32-40-50	2500
Extension F/M 150	DN: 10-15-20-25-32-40-50	2500
<i>Extension F/M 200 (testversion DN20 krom)</i>	<i>DN: 10-15-20-25-32-40-50</i>	<i>2500</i>
Nipple M/M	DN: 10-15-20-25-32-40-50	2530